


MOOC 2 – UNIT 1

Profile of Emergency Psychologist Conclusion

Developed by Association of Clinical Psychologists (CZ)



**Co-funded by the
Erasmus+ Programme
of the European Union**

The European Commission support for the production of this publication does not constitute an endorsement of the contents which reflects the views only of the authors, and the Commission cannot be held responsible for any use which may be made of the information contained therein.

OUTCOMES

Prioritization, Assessment, & Psychodiagnostics

- Knowledge of the effects of stress on mental health
- Prioritization of psychosocial needs
- Highlight risky populations
- Reach for supervision
- Theoretic background - Curve of Adjustment

Individual PFA Psychosocial Interventions

- Understanding of stress display (biopsychosocial)
- Stabilization of biopsychosocial domains
- Process: Rapport - Needs - Intervention
- Models: RAPID, Look-Listen-Link

Psychotherapeutic approaches to trauma

- Understand the individual impact of trauma on the victim
- Questionnaires on Trauma
- Help in (re)building competences again, enhance strategies and coping mechanisms

References

Alexander, D. (2005). Early mental health intervention after disasters. *Advances in Psychiatric Treatment*, 11(1), 12-18.

Carlson, L. and Bultz, B. 2003. Benefits of psychosocial oncology care: Improved quality of life and medical cost offset. *Health and Quality of Life Outcomes*, 1(8):1-9

Dominguez, S., Drummond, P., Gouldthorp, B., Janson, D., & Lee, C. W. (2021). A randomized controlled trial examining the impact of individual trauma-focused therapy for individuals receiving group treatment for depression. *Psychology and Psychotherapy: Theory, Research and Practice*, 94(1), 81.

Everly Jr, G. S., McCabe, O. L., Semon, N. L., Thompson, C. B., & Links, J. M. (2014). The development of a model of psychological first aid for non-mental health trained public health personnel: The Johns Hopkins RAPID-PFA. *Journal of Public Health Management and Practice*, 20, S24-S29.

Grawe, K. (2007). *Neuropsychotherapy: How the Neurosciences Inform Effective Psychotherapy* (1st ed.). Routledge.

Hesse, A. R. (2002). Secondary trauma: How working with trauma survivors affects therapists. *Clinical social work journal*, 30(3), 293-309.

Reifels, L., Pietrantonio, L., Prati, G., Kim, Y., Kilpatrick, D. G., Dyb, G., Halpern, J., Olf, M., Brewin, C. R., & O'Donnell, M. (2013). Lessons learned about psychosocial responses to disaster and mass trauma: An international perspective. *European Journal of Psychotraumatology*, 4(1) 22897.

Ritchie, M. 2001. Psychosocial nursing care for adolescents with cancer. *Issues in Comprehensive Paediatric Nursing*, 24(3):165-175

Roberts, A. R. (Eds.). (2005). *Crisis intervention handbook: Assessment, treatment, and research*. Oxford university press. Schnurr, P. P. (2017). Focusing on Trauma-Focused Psychotherapy for Posttraumatic Stress Disorder. *Current Opinion in Psychology*, 14, 56-60.

Thank you for your attention!

